Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

August 21, 2012

Mr. Rick Illgner
Governmental Affairs Officer
Edwards Aquifer Authority
1615 N. St. Mary's
San Antonio, TX 78215

Re: Modeled available groundwater estimates for the Edwards and Leona Gravel aquifers in Groundwater Management Area 13

Dear Mr. Illgner:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) executive administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (Aquifer Assessment 10-40 MAG and Aquifer Assessment 10-41 MAG) are in response to this directive.

As noted in the letter received by the TWDB on September 2, 2010, from Mike Mahoney of the Evergreen Underground Water Conservation District on behalf of Groundwater Management Area 13, the desired future condition for the Edwards Aquifer in Frio County was adopted on August 12, 2010.

The desired future condition for the Leona Gravel Aquifer in Medina County was adopted on July 13, 2011, as noted in the letter from Luana Buckner of the Medina County Groundwater Conservation District on behalf of Groundwater Management Area 13, received by the TWDB on June 22, 2011.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Billy R. Bradford Jr., Chairman
Joe M. Crutcher, Vice Chairman
Melanie Callahan, Executive Administrator
Lewis H. McMahan, Member
Edward G. Vaughan, Member
Monte Cluck, Member
F.A. "Rick" Rylander, Member

conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: Aquifer Assessment 10-40 MAG
Aquifer Assessment 10-41 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
Kristi Shaw, HDR Engineering
Sam Vaugh, HDR Engineering
David Anderson, Black & Veatch Corporation
Rocky Freund, Nueces River Authority
Deborah Morales, Lower Rio Grande Valley Development Council
Steve Raabe, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Angela Kennedy, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

August 21, 2012

Mr. Mike Mahoney
General Manager
Evergreen Underground Water Conservation District
110 Wyoming Blvd
Pleasanton, TX 78064

Re: Modeled available groundwater estimates for the Edwards and Leona Gravel aquifers in Groundwater Management Area 13

Dear Mr. Mahoney:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) executive administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (Aquifer Assessment 10-40 MAG and Aquifer Assessment 10-41 MAG) are in response to this directive.

As noted in the letter received by the TWDB on September 2, 2010, from Mike Mahoney of the Evergreen Underground Water Conservation District on behalf of Groundwater Management Area 13, the desired future condition for the Edwards Aquifer in Frio County was adopted on August 12, 2010.

The desired future condition for the Leona Gravel Aquifer in Medina County was adopted on July 13, 2011, as noted in the letter from Luana Buckner of the Medina County Groundwater Conservation District on behalf of Groundwater Management Area 13, received by the TWDB on June 22, 2011.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Billy R. Bradford Jr., Chairman
Joe M. Crutcher, Vice Chairman
Melanie Callahan, Executive Administrator
Lewis H. McMahan, Member
Edward G. Vaughan, Member
Monte Cluck, Member
F.A. "Rick" Rylander, Member

conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: Aquifer Assessment 10-40 MAG
Aquifer Assessment 10-41 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
Kristi Shaw, HDR Engineering
Sam Vaugh, HDR Engineering
David Anderson, Black & Veatch Corporation
Rocky Freund, Nueces River Authority
Deborah Morales, Lower Rio Grande Valley Development Council
Steve Raabe, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Angela Kennedy, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

August 21, 2012

Mr. Greg Sengelmann
General Manager
Gonzales County Underground Water Conservation District
P.O. Box 1919
Gonzales, TX 78629

Re: Modeled available groundwater estimates for the Edwards and Leona Gravel aquifers in Groundwater Management Area 13

Dear Mr. Sengelmann:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) executive administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (Aquifer Assessment 10-40 MAG and Aquifer Assessment 10-41 MAG) are in response to this directive.

As noted in the letter received by the TWDB on September 2, 2010, from Mike Mahoney of the Evergreen Underground Water Conservation District on behalf of Groundwater Management Area 13, the desired future condition for the Edwards Aquifer in Frio County was adopted on August 12, 2010.

The desired future condition for the Leona Gravel Aquifer in Medina County was adopted on July 13, 2011, as noted in the letter from Luana Buckner of the Medina County Groundwater Conservation District on behalf of Groundwater Management Area 13, received by the TWDB on June 22, 2011.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Billy R. Bradford Jr., Chairman
Joe M. Crutcher, Vice Chairman
Melanie Callahan, Executive Administrator
Lewis H. McMahan, Member
Edward G. Vaughan, Member
Monte Cluck, Member
F.A. "Rick" Rylander, Member

conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: Aquifer Assessment 10-40 MAG
Aquifer Assessment 10-41 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
Kristi Shaw, HDR Engineering
Sam Vaugh, HDR Engineering
David Anderson, Black & Veatch Corporation
Rocky Freund, Nueces River Authority
Deborah Morales, Lower Rio Grande Valley Development Council
Steve Raabe, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Angela Kennedy, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

August 21, 2012

Mr. Ron Naumann
President
Guadalupe County Groundwater Conservation District
P.O. Box 1221
Seguin, TX 78156

Re: Modeled available groundwater estimates for the Edwards and Leona Gravel aquifers in Groundwater Management Area 13

Dear Mr. Naumann:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) executive administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (Aquifer Assessment 10-40 MAG and Aquifer Assessment 10-41 MAG) are in response to this directive.

As noted in the letter received by the TWDB on September 2, 2010, from Mike Mahoney of the Evergreen Underground Water Conservation District on behalf of Groundwater Management Area 13, the desired future condition for the Edwards Aquifer in Frio County was adopted on August 12, 2010.

The desired future condition for the Leona Gravel Aquifer in Medina County was adopted on July 13, 2011, as noted in the letter from Luana Buckner of the Medina County Groundwater Conservation District on behalf of Groundwater Management Area 13, received by the TWDB on June 22, 2011.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Billy R. Bradford Jr., Chairman
Joe M. Crutcher, Vice Chairman
Melanie Callahan, Executive Administrator
Lewis H. McMahan, Member
Edward G. Vaughan, Member
Monte Cluck, Member
F.A. "Rick" Rylander, Member

conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: Aquifer Assessment 10-40 MAG
Aquifer Assessment 10-41 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
Kristi Shaw, HDR Engineering
Sam Vaugh, HDR Engineering
David Anderson, Black & Veatch Corporation
Rocky Freund, Nueces River Authority
Deborah Morales, Lower Rio Grande Valley Development Council
Steve Raabe, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Angela Kennedy, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

August 21, 2012

Mr. Lonnie Stewart
General Manager
McMullen Groundwater Conservation District
P.O. Box 232
Tilden, TX 78072

Re: Modeled available groundwater estimates for the Edwards and Leona Gravel aquifers in Groundwater Management Area 13

Dear Mr. Stewart:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) executive administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (Aquifer Assessment 10-40 MAG and Aquifer Assessment 10-41 MAG) are in response to this directive.

As noted in the letter received by the TWDB on September 2, 2010, from Mike Mahoney of the Evergreen Underground Water Conservation District on behalf of Groundwater Management Area 13, the desired future condition for the Edwards Aquifer in Frio County was adopted on August 12, 2010.

The desired future condition for the Leona Gravel Aquifer in Medina County was adopted on July 13, 2011, as noted in the letter from Luana Buckner of the Medina County Groundwater Conservation District on behalf of Groundwater Management Area 13, received by the TWDB on June 22, 2011.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Billy R. Bradford Jr., Chairman
Joe M. Crutcher, Vice Chairman
Melanie Callahan, Executive Administrator
Lewis H. McMahan, Member
Edward G. Vaughan, Member
Monte Cluck, Member
F.A. "Rick" Rylander, Member

conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: Aquifer Assessment 10-40 MAG
Aquifer Assessment 10-41 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
Kristi Shaw, HDR Engineering
Sam Vaugh, HDR Engineering
David Anderson, Black & Veatch Corporation
Rocky Freund, Nueces River Authority
Deborah Morales, Lower Rio Grande Valley Development Council
Steve Raabe, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Angela Kennedy, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

August 21, 2012

Ms. Luana Buckner
General Manager
Medina County Groundwater Conservation District
1613 Avenue K, Suite 105
Hondo, TX 78861

Re: Modeled available groundwater estimates for the Edwards and Leona Gravel aquifers in Groundwater Management Area 13

Dear Ms. Buckner:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) executive administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (Aquifer Assessment 10-40 MAG and Aquifer Assessment 10-41 MAG) are in response to this directive.

As noted in the letter received by the TWDB on September 2, 2010, from Mike Mahoney of the Evergreen Underground Water Conservation District on behalf of Groundwater Management Area 13, the desired future condition for the Edwards Aquifer in Frio County was adopted on August 12, 2010.

The desired future condition for the Leona Gravel Aquifer in Medina County was adopted on July 13, 2011, as noted in the letter from Luana Buckner of the Medina County Groundwater Conservation District on behalf of Groundwater Management Area 13, received by the TWDB on June 22, 2011.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Billy R. Bradford Jr., Chairman
Joe M. Crutcher, Vice Chairman
Melanie Callahan, Executive Administrator
Lewis H. McMahan, Member
Edward G. Vaughan, Member
Monte Cluck, Member
F.A. "Rick" Rylander, Member

conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: Aquifer Assessment 10-40 MAG
Aquifer Assessment 10-41 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
Kristi Shaw, HDR Engineering
Sam Vaugh, HDR Engineering
David Anderson, Black & Veatch Corporation
Rocky Freund, Nueces River Authority
Deborah Morales, Lower Rio Grande Valley Development Council
Steve Raabe, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Angela Kennedy, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

August 21, 2012

Mr. Daniel Meyer
Assistant Manager
Plum Creek Conservation District
P.O. Box 328
Lockhart, TX 78644

Re: Modeled available groundwater estimates for the Edwards and Leona Gravel aquifers in Groundwater Management Area 13

Dear Mr. Meyer:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) executive administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (Aquifer Assessment 10-40 MAG and Aquifer Assessment 10-41 MAG) are in response to this directive.

As noted in the letter received by the TWDB on September 2, 2010, from Mike Mahoney of the Evergreen Underground Water Conservation District on behalf of Groundwater Management Area 13, the desired future condition for the Edwards Aquifer in Frio County was adopted on August 12, 2010.

The desired future condition for the Leona Gravel Aquifer in Medina County was adopted on July 13, 2011, as noted in the letter from Luana Buckner of the Medina County Groundwater Conservation District on behalf of Groundwater Management Area 13, received by the TWDB on June 22, 2011.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Billy R. Bradford Jr., Chairman
Joe M. Crutcher, Vice Chairman
Melanie Callahan, Executive Administrator
Lewis H. McMahan, Member
Edward G. Vaughan, Member
Monte Cluck, Member
F.A. "Rick" Rylander, Member

conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: Aquifer Assessment 10-40 MAG
Aquifer Assessment 10-41 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
Kristi Shaw, HDR Engineering
Sam Vaugh, HDR Engineering
David Anderson, Black & Veatch Corporation
Rocky Freund, Nueces River Authority
Deborah Morales, Lower Rio Grande Valley Development Council
Steve Raabe, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Angela Kennedy, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

August 21, 2012

Mr. Vic Hilderbran
General Manager
Uvalde County Underground Water Conservation District
200 E. Nopal Street, Suite 203
Uvalde, TX 78801

Re: Modeled available groundwater estimates for the Edwards and Leona Gravel aquifers in Groundwater Management Area 13

Dear Mr. Hilderbran:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) executive administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (Aquifer Assessment 10-40 MAG and Aquifer Assessment 10-41 MAG) are in response to this directive.

As noted in the letter received by the TWDB on September 2, 2010, from Mike Mahoney of the Evergreen Underground Water Conservation District on behalf of Groundwater Management Area 13, the desired future condition for the Edwards Aquifer in Frio County was adopted on August 12, 2010.

The desired future condition for the Leona Gravel Aquifer in Medina County was adopted on July 13, 2011, as noted in the letter from Luana Buckner of the Medina County Groundwater Conservation District on behalf of Groundwater Management Area 13, received by the TWDB on June 22, 2011.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Billy R. Bradford Jr., Chairman
Joe M. Crutcher, Vice Chairman
Melanie Callahan, Executive Administrator
Lewis H. McMahan, Member
Edward G. Vaughan, Member
Monte Cluck, Member
F.A. "Rick" Rylander, Member

conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: Aquifer Assessment 10-40 MAG
Aquifer Assessment 10-41 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
Kristi Shaw, HDR Engineering
Sam Vaugh, HDR Engineering
David Anderson, Black & Veatch Corporation
Rocky Freund, Nueces River Authority
Deborah Morales, Lower Rio Grande Valley Development Council
Steve Raabe, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Angela Kennedy, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

August 21, 2012

Mr. Ed Walker
General Manager
Wintergarden Groundwater Conservation District
P.O. Box 1433
Carrizo Springs, TX 78834

Re: Modeled available groundwater estimates for the Edwards and Leona Gravel aquifers in Groundwater Management Area 13

Dear Mr. Walker:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) executive administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (Aquifer Assessment 10-40 MAG and Aquifer Assessment 10-41 MAG) are in response to this directive.

As noted in the letter received by the TWDB on September 2, 2010, from Mike Mahoney of the Evergreen Underground Water Conservation District on behalf of Groundwater Management Area 13, the desired future condition for the Edwards Aquifer in Frio County was adopted on August 12, 2010.

The desired future condition for the Leona Gravel Aquifer in Medina County was adopted on July 13, 2011, as noted in the letter from Luana Buckner of the Medina County Groundwater Conservation District on behalf of Groundwater Management Area 13, received by the TWDB on June 22, 2011.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Billy R. Bradford Jr., Chairman
Joe M. Crutcher, Vice Chairman
Melanie Callahan, Executive Administrator
Lewis H. McMahan, Member
Edward G. Vaughan, Member
Monte Cluck, Member
F.A. "Rick" Rylander, Member

conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: Aquifer Assessment 10-40 MAG
Aquifer Assessment 10-41 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
Kristi Shaw, HDR Engineering
Sam Vaugh, HDR Engineering
David Anderson, Black & Veatch Corporation
Rocky Freund, Nueces River Authority
Deborah Morales, Lower Rio Grande Valley Development Council
Steve Raabe, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Angela Kennedy, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

August 21, 2012

Mr. Con Mims
South Central Texas Regional Water Planning Group Chairman
Nueces River Authority
P.O. Box 349
Uvalde, TX 78802

Re: Modeled available groundwater estimates for the Edwards and Leona Gravel aquifers in Groundwater Management Area 13

Dear Mr. Mims:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) executive administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (Aquifer Assessment 10-40 MAG and Aquifer Assessment 10-41 MAG) are in response to this directive.

As noted in the letter received by the TWDB on September 2, 2010, from Mike Mahoney of the Evergreen Underground Water Conservation District on behalf of Groundwater Management Area 13, the desired future condition for the Edwards Aquifer in Frio County was adopted on August 12, 2010.

The desired future condition for the Leona Gravel Aquifer in Medina County was adopted on July 13, 2011, as noted in the letter from Luana Buckner of the Medina County Groundwater Conservation District on behalf of Groundwater Management Area 13, received by the TWDB on June 22, 2011.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Billy R. Bradford Jr., Chairman
Joe M. Crutcher, Vice Chairman
Melanie Callahan, Executive Administrator
Lewis H. McMahan, Member
Edward G. Vaughan, Member
Monte Cluck, Member
F.A. "Rick" Rylander, Member

conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: Aquifer Assessment 10-40 MAG
Aquifer Assessment 10-41 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
Kristi Shaw, HDR Engineering
Sam Vaugh, HDR Engineering
David Anderson, Black & Veatch Corporation
Rocky Freund, Nueces River Authority
Deborah Morales, Lower Rio Grande Valley Development Council
Steve Raabe, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Angela Kennedy, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

August 21, 2012

Mr. Glenn Jarvis
Rio Grande Regional Water Planning Group Chairman
Law Offices of Glenn Jarvis
1801 S. 2nd Street, Suite 550
McAllen, TX 78503

Re: Modeled available groundwater estimates for the Edwards and Leona Gravel aquifers in Groundwater Management Area 13

Dear Mr. Jarvis:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) executive administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (Aquifer Assessment 10-40 MAG and Aquifer Assessment 10-41 MAG) are in response to this directive.

As noted in the letter received by the TWDB on September 2, 2010, from Mike Mahoney of the Evergreen Underground Water Conservation District on behalf of Groundwater Management Area 13, the desired future condition for the Edwards Aquifer in Frio County was adopted on August 12, 2010.

The desired future condition for the Leona Gravel Aquifer in Medina County was adopted on July 13, 2011, as noted in the letter from Luana Buckner of the Medina County Groundwater Conservation District on behalf of Groundwater Management Area 13, received by the TWDB on June 22, 2011.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Billy R. Bradford Jr., Chairman
Joe M. Crutcher, Vice Chairman
Melanie Callahan, Executive Administrator
Lewis H. McMahan, Member
Edward G. Vaughan, Member
Monte Cluck, Member
F.A. "Rick" Rylander, Member

conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: Aquifer Assessment 10-40 MAG
Aquifer Assessment 10-41 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
Kristi Shaw, HDR Engineering
Sam Vaugh, HDR Engineering
David Anderson, Black & Veatch Corporation
Rocky Freund, Nueces River Authority
Deborah Morales, Lower Rio Grande Valley Development Council
Steve Raabe, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Angela Kennedy, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

August 21, 2012

Ms. Carola Serrato
Coastal Bend Regional Water Planning Group Co-Chair
South Texas Water Authority
P.O. Box 1701
Kingsville, TX 78364

Re: Modeled available groundwater estimates for the Edwards and Leona Gravel aquifers in Groundwater Management Area 13

Dear Ms. Serrato:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) executive administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (Aquifer Assessment 10-40 MAG and Aquifer Assessment 10-41 MAG) are in response to this directive.

As noted in the letter received by the TWDB on September 2, 2010, from Mike Mahoney of the Evergreen Underground Water Conservation District on behalf of Groundwater Management Area 13, the desired future condition for the Edwards Aquifer in Frio County was adopted on August 12, 2010.

The desired future condition for the Leona Gravel Aquifer in Medina County was adopted on July 13, 2011, as noted in the letter from Luana Buckner of the Medina County Groundwater Conservation District on behalf of Groundwater Management Area 13, received by the TWDB on June 22, 2011.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Billy R. Bradford Jr., Chairman
Joe M. Crutcher, Vice Chairman
Melanie Callahan, Executive Administrator
Lewis H. McMahan, Member
Edward G. Vaughan, Member
Monte Cluck, Member
F.A. "Rick" Rylander, Member

conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: Aquifer Assessment 10-40 MAG
Aquifer Assessment 10-41 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
Kristi Shaw, HDR Engineering
Sam Vaugh, HDR Engineering
David Anderson, Black & Veatch Corporation
Rocky Freund, Nueces River Authority
Deborah Morales, Lower Rio Grande Valley Development Council
Steve Raabe, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Angela Kennedy, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

August 21, 2012

Mr. Scott Bledsoe, III
Coastal Bend Regional Water Planning Group Co-Chair
Live Oak Underground Water Conservation District
P.O. Box 3
Oakville, TX 78060

Re: Modeled available groundwater estimates for the Edwards and Leona Gravel aquifers in Groundwater Management Area 13

Dear Mr. Bledsoe:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) executive administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (Aquifer Assessment 10-40 MAG and Aquifer Assessment 10-41 MAG) are in response to this directive.

As noted in the letter received by the TWDB on September 2, 2010, from Mike Mahoney of the Evergreen Underground Water Conservation District on behalf of Groundwater Management Area 13, the desired future condition for the Edwards Aquifer in Frio County was adopted on August 12, 2010.

The desired future condition for the Leona Gravel Aquifer in Medina County was adopted on July 13, 2011, as noted in the letter from Luana Buckner of the Medina County Groundwater Conservation District on behalf of Groundwater Management Area 13, received by the TWDB on June 22, 2011.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Billy R. Bradford Jr., Chairman
Joe M. Crutcher, Vice Chairman
Melanie Callahan, Executive Administrator
Lewis H. McMahan, Member
Edward G. Vaughan, Member
Monte Cluck, Member
F.A. "Rick" Rylander, Member

conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: Aquifer Assessment 10-40 MAG
Aquifer Assessment 10-41 MAG

c w/atts.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
Kristi Shaw, HDR Engineering
Sam Vaugh, HDR Engineering
David Anderson, Black & Veatch Corporation
Rocky Freund, Nueces River Authority
Deborah Morales, Lower Rio Grande Valley Development Council
Steve Raabe, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Robert Bradley, P.G., Groundwater Resources
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Angela Kennedy, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning